



Safety Data Sheet

Issue Date: 17-Jun-2013

Revision Date: 07-Sep-2017

Version 3

1. IDENTIFICATION

Product Identifier

Product Name Penner Whirlpool Disinfectant Cleaner

Other means of identification

SDS # 13010-0917

Product Code Item Number: 3L = PENN1301-3L; 1-Gal = PENN13011

Other Information RD17-76B

Recommended use of the chemical and restrictions on use

Recommended Use A quaternary ammonium disinfectant cleaner formulated with non-ionic and cationic wetting agents.

Details of the supplier of the safety data sheet

Distributed by:

Penner Patient Care, Inc.
102 Grant Street
Aurora, NE 68818 Phone: 866-736-6377

Emergency Telephone Number

Company Phone Number 866-736-6377 (M-F 8am to 4:30pm, CST)
Emergency Telephone (24 hr.) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear yellow

Physical State Liquid

Odor Quaternary

Classification Danger: Corrosive Keep out of reach of children

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage



This product is a U.S. EPA Registered pesticide, EPA Reg. No. 1839-95-74102, and is subject to specific labeling requirements under Federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide products.

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a poison center or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a poison center or doctor/physician
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

KEEP OUT OF REACH OF CHILDREN-Do not contaminate water, food or feed by storage or disposal. Store in a dry place no lower in temperature than 50°F, or higher than 120°F.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant - See product label for further instruction

Other Hazards

Harmful to aquatic life with long lasting effects

Unknown Acute Toxicity

3% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS
--

Chemical Name	CAS No	Weight-%
Alkyl (68% C12, 32% C14) dimethyl ethyl benzyl ammonium chloride	85409-23-0 (Alternate CAS 68956-79-6)	2.5
Alkyl dimethyl benzyl ammonium chloride (C12-18)	68391-01-5	2.5
EDTA	60-00-4	<5
Ethanol	64-17-5	<1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Promptly wash eyes with plenty of water while lifting the eye lids. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician or Poison Control Center immediately. Obtain medical attention and take along these instructions.
Skin Contact	Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse.
Inhalation	If symptoms are experienced, remove source of contamination or move victim to fresh air. If symptoms persist, get medical attention. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Ingestion	Call a physician or Poison Control Center immediately. Give one or two glasses of water if patient is alert and able to swallow. Seek immediate medical attention. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Symptoms	Prolonged contact may even cause severe skin irritation or mild burn. Prolonged contact may cause irreversible damage to eye. Contact will cause irritation and redness to exposed areas. Will cause gastrointestinal tract irritation. Inhalation symptoms may include dizziness and headache.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately.
---------------------------	--

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products: Carbon oxides. Nitrogen oxides (NOx). Ammonia. Amines. Chlorine gas.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.
Prevent entry into waterways, sewers, basements or confined areas.

Methods for Clean-Up

Wear appropriate protective equipment and clothing during clean-up.
Small Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
Large Spills: Dike far ahead of liquid spill for later disposal.
 Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Wash thoroughly after handling. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapors/spray. Do not contaminate water, food, or feed. Do not reuse empty containers. Keep containers clean and closed.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
 DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

Incompatible Materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanol	STEL 1000 ppm	1000 ppm 1900 mg/m ³	-
			-

Appropriate engineering controls

Engineering Controls

Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Use Safety Glasses when diluting concentrates or when splashing or spraying of diluted product into the eyes is likely.

Skin and Body Protection

Gloves are required for exposure to the concentrate when diluting or for long exposures to end-use dilutions. Persons sensitive to cleaning chemicals should always wear gloves.

Respiratory Protection

Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations

Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Keep away from food and drink.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Quaternary
Appearance	Clear yellow liquid	Odor Threshold	Not determined
Color	Clear yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	10.2 - 12.2	
Melting Point/Freezing Point	32 °F (0 °C)	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	Non-flammable water based liquid	
Evaporation Rate	Not established	
Flammability (Solid, Gas)	n/a-liquid	
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not established	
Vapor Density	Not established	
Specific Gravity	1.023-1.054	(1=Water) @ 25 °C (77 °F)
Water Solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
Density	8.53-8.79 lb/gal	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization	Hazardous polymerization does not occur.
---------------------------------	--

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides. Ammonia. Amines. Nitrogen oxides (NOx). Chlorine gas.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

- Eye Contact** Causes severe eye damage.
- Skin Contact** Causes severe skin burns.
- Inhalation** Avoid breathing vapors or mists.
- Ingestion** Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
EDTA 60-00-4	= 1700 mg/kg (Rat)	-	-
Alkyl (68% C12, 32% C14) dimethyl ethyl benzyl ammonium chloride	= >50 – 500 mg/kg (Rata0	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-18)	= >50 – 500 mg/kg (Rata0	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

Legend

- ACGIH (American Conference of Governmental Industrial Hygienists)*
- A3 - Animal Carcinogen*
- IARC (International Agency for Research on Cancer)*
- Group 1 - Carcinogenic to Humans*
- NTP (National Toxicology Program)*
- Known - Known Carcinogen*
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)*
- X - Present*

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity 3% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
EDTA 60-00-4	1.01: 72 h Desmodesmus subspicatus mg/L EC50	34 - 62: 96 h Lepomis macrochirus mg/L LC50 static 44.2 - 76.5: 96 h Pimephales promelas mg/L LC50 static		113: 48 h Daphnia magna mg/L EC50 Static
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethyl Alcohol 64-17-5	-0.32

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG
Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations**CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
EDTA 60-00-4	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 313

Not determined

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
EDTA 60-00-4 (<5)	5000 lb			X

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
EDTA 60-00-4	X	X	X
Ethyl Alcohol 64-17-5	X	X	X

16. OTHER INFORMATION

NFPA**Health Hazards**

Not determined

Flammability

Not determined

Instability

Not determined

Special Hazards

Not determined

HMIS**Health Hazards**

3

Flammability

0

Physical Hazards

0

Personal Protection

B

Issue Date:

17-Jun-2013

Revision Date:

07-Sep-2017

Revision Note:

General review-added Penner logo

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet